



Xenon light source



Microfluidic Reagent Rotor


7 minutes

Sample-to-answer in
3 simple steps and
approximately 7 minutes




MNCHIP - Clinical Chemistry +

Chemistry Analyzer Celercare® cV5



Celercare cV5 Reagent Discs



Health Checking Profile
 Health Checking Plus Profile
 Comprehensive Profile (24)
 Preanesthetic Panel
 Preanesthetic Panel Plus
 Liver & Kidney Profile
 Liver Profile
 Kidney Profile
 Electrolytes
 Critical Care Panel
 Avian & Reptile Panel
 Large Animal Diagnostics
 Diabetes Panel
 Pancreatitis Profile
 Blood Gas Profile
 Ammonia Test Profile

TP	TP	TP	TP	TP	TP	TP				TP	TP	TP	
ALB	ALB	ALB	ALB	ALB		ALB	ALB	ALB		ALB	ALB	ALB	
GLO*	GLO*	GLO*	GLO*	GLO*		GLO*	GLO*			GLO*	GLO*	GLO*	
ALB/GLO*	A/G*	A/G*	A/G*	A/G*		A/G*	A/G*			A/G*	A/G*	A/G*	
ALT	ALT	ALT	ALT	ALT	ALT	ALT			ALT				
AST		AST		AST	AST	AST				AST	AST		
AST/ALT*		AAR*		AAR*	AAR*	AAR*							
GGT		GGT			GGT	GGT					GGT		
ALP	ALP	ALP	ALP	ALP		ALP					ALP		
TBIL	TBIL	TBIL				TBIL	TBIL						
DBIL							DBIL						
IBIL*							IBIL*						
TBA	TBA	TBA					TBA		TBA				
CRE	CRE	CRE	CRE	CRE	CRE		CRE	CRE				CRE	
BUN	BUN	BUN	BUN	BUN	BUN	BUN	BUN	BUN		BUN		BUN	
BUN/CRE*	B/C*	B/C*	B/C*	B/C*	B/C*	B/C*	B/C*	B/C*				B/C*	
UA									UA				
CK	CK	CK		CK					CK	CK			
LDH				LDH									
AMY	AMY	AMY										AMY	
LPS												LPS	
GLU	GLU	GLU	GLU	GLU	GLU			GLU	GLU		GLU	GLU	GLU
FRU											FRU		
TG		TG									TG		
CHOL	CHOL	CHOL									CHOL		
K ⁺	K ⁺						K ⁺	K ⁺	K ⁺	K ⁺			K ⁺
Na ⁺	Na ⁺							Na ⁺	Na ⁺	Na ⁺			Na ⁺
Na ⁺ /K ⁺	Na ⁺ /K ⁺							Na ⁺ /K ⁺	Na ⁺ /K ⁺	Na ⁺ /K ⁺			Na ⁺ /K ⁺
Cl ⁻								Cl ⁻	Cl ⁻	Cl ⁻			Cl ⁻
Ca	Ca	Ca					Ca	Ca		Ca	Ca		Ca
P	P	P					P	P		P	P		
CaxP*		CaxP*											
Mg		Mg						Mg		Mg			
tCO ₂		tCO ₂					tCO ₂	tCO ₂	tCO ₂				tCO ₂
NH ₃													NH ₃
LAC													LAC
pH													pH

Coagulation Profile (4) [#]
PT APTT TT FIB

* Calculated test value
 # Coming soon